

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

## USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Next List](#)[Bottom](#)[View Cart](#)

Searching 1976 to present...




























**Results of Search in 1976 to present db for:**

**ACLM/"comprised of": 113671 patents.**

**Hits 1 through 50 out of 113671**

[Next 50 Hits](#)[Jump To](#)[Refine Search](#)

- | PAT. NO.                     | Title   |
|------------------------------|---|
| 1 <a href="#">6,718,532</a>  | <a href="#">Charged particle beam exposure system using aperture mask in semiconductor manufacture</a>                                |
| 2 <a href="#">6,718,469</a>  | <a href="#">System and method for executing computer virus definitions containing general purpose programming language extensions</a> |
| 3 <a href="#">6,718,451</a>  | <a href="#">Utilizing overhead in fixed length memory block pools</a>   |
| 4 <a href="#">6,718,445</a>  | <a href="#">System and method for performing dynamic buffer management in an HFS (hierarchical file system DF/SMS)</a>                |
| 5 <a href="#">6,718,362</a>  | <a href="#">Extending functionality of network I/O APIS by using call-back mechanisms</a>   |
| 6 <a href="#">6,718,361</a>  | <a href="#">Method and apparatus for reliable and scalable distribution of data files in distributed networks</a>                     |
| 7 <a href="#">6,718,360</a>  | <a href="#">Providing predictable scheduling of programs using a repeating precomputed schedule</a>                                   |
| 8 <a href="#">6,718,317</a>  | <a href="#">Methods for identifying partial periodic patterns and corresponding event subsequences in an event sequence</a>           |
| 9 <a href="#">6,718,300</a>  | <a href="#">Method and apparatus for reducing aliasing in cascaded filter banks</a>   |
| 10 <a href="#">6,718,260</a> | <a href="#">Reconfigurable menu display for a vehicle navigation system</a>   |
| 11 <a href="#">6,718,231</a> | <a href="#">Authoring system and authoring method, and storage medium</a>   |
| 12 <a href="#">6,718,225</a> | <a href="#">Device for controlling a machine for cutting blanks</a>   |

- from a sheet material
- 13 6,718,218  CAD data model with design notes
- 14 6,718,136  Flexible flashlight extension
- 15 6,718,104  Tiled electro-optic interactive display and illumination apparatus
- 16 6,718,098  Two-way optical communication module and method for manufacturing the same
- 17 6,718,080  Optical programmable delay system
- 18 6,718,064  Image compression and expansion apparatus
- 19 6,718,038  Cryptographic method using modified fractional fourier transform kernel
- 20 6,718,011  Planar image detector for electromagnetic rays, particularly X-rays
- 21 6,718,001  Nuclear reactor
- 22 6,717,988  Scalable MPEG-2 decoder
- 23 6,717,966  Calibration focus position
- 24 6,717,950  Method and apparatus for priority-based load balancing for use in an extended local area network
- 25 6,717,852  Nonvolatile semiconductor memory device capable of concurrently and reliably writing/erasing and reading memory cores
- 26 6,717,850  Efficient method to detect process induced defects in the gate stack of flash memory devices
- 27 6,717,799  Low profile EMI shield with heat spreading plate
- 28 6,717,797  Apparatus, methods and articles of manufacture for a module box with integrated components
- 29 6,717,747  Image pickup lens
- 30 6,717,738  Optical element, metal mold for producing optical element and production method for optical element
- 31 6,717,719  Coherent optical beam combination using double-coated glass mirrors/mirror pairs
- 32 6,717,698  Tone scale processing based on image modulation activity
- 33 6,717,665  Polarimeter
- 34 6,717,576  Deferred shading graphics pipeline processor having advanced features
- 35 6,717,527  Vehicle location system
- 36 6,717,507  Radio frequency tags for media access and control
- 37 6,717,424  Electrode and fixture for measuring electronic components
- 38 6,717,419  Liquid dielectric capacitor for film thickness mapping
- 39 6,717,384  Frequency changer protection circuit for controlling the acceleration of an electric vehicle



- 40 [6,717,383](#) [Fountain control for generating dynamically changing flow patterns](#)
- 41 [6,717,351](#) [Apparatus and method for forming cold-cathode field emission displays](#)
- 42 [6,717,335](#) [Composite vibration device](#)
- 43 [6,717,324](#) [Magnet motor device](#)
- 44 [6,717,318](#) [Electric motor](#)
- 45 [6,717,296](#) [Lithographic apparatus and motor for use in the apparatus](#)
- 46 [6,717,234](#) [Resistive memory for data storage devices](#)
- 47 [6,717,227](#) [MEMS devices and methods of manufacture](#)
- 48 [6,717,128](#) [Offset reduction in image sensors](#)
- 49 [6,717,060](#) [Circuit board consisting of at least two individual circuit board layers made of plastic](#)
- 50 [6,717,029](#) [Absorbent article having an ideal core distribution and method of preparing same](#)
- 

